PLATT Nicole

From:

Wright Steel

Sent:

Monday, 21 October 2013 5:35 PM

To:

Anti-Dumping Commission Client Support Team

Subject:

dumping duty

Attachments:

document2013-10-21-163144.pdf

Dear Sir

As per the attached, we have been successful in our tariff concession application for certain Galvannealed Steel Coils to be imported from Baosteel China.

As the only local producer (Bluescope) have removed their objection to this concession indicating that they cannot produce this or substitutable material. Hence I request that this material be also excluded from any dumping and countervailing duty (as previously granted to all of Bluescope's successful applications.

If you require any further information please advise.

Regards

Mark Kay



ABN: 74 007 000 884 p: +61 3 9598 0050 f: +61 3 9597 0050



Reply to the Chief Executive Officer

Quote: TC 1318527 Your Ref: GM Australian Customs and Border Protection Service Customs House 5 Constitution Avenue CANBERRA ACT 2601 Ph: (02) 6275 6666

Fax: (02) 6275 6376

Email: tarcon@customs.gov.au

21 October 2013

MR MARK KAY WRIGHT STEEL (SALES) PTY. LTD. SUITE 201, 254 BAY ROAD SANDRINGHAM VIC 3191

Dear Mr Kay,

TARIFF CONCESSION SYSTEM APPLICATION SUCCESSFUL

I refer to your application for Tariff Concession Order (TCO) Number TC 1318527 lodged on 4 June 2013.

As a delegate of the Chief Executive Officer I am satisfied that the application meets the core criteria on the basis of section 269C of the *Customs Act 1901* and have accordingly made a written Tariff Concession Order.

The decision to make a TCO will be published in Gazette Number TC13/42 of 23 October 2013.

The TCO, as detailed in the attachment, will also be published in the Schedule of Concessional Instruments as soon as possible.

Yours sincerely,

Paul MERCER
Delegate of the Chief Executive Officer

escription of the Particular goods including the applicable subheading of the Customs Tariff				Schedule 4 Item Last day of effect
7210.49.00	STEEL, flat rolled, non-alloy, hot dipped galvannealed, zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 120 MPa and NOT greater than 180 MPa; (b) tensile strength NOT less than 260 MPa and NOT greater than 350 MPa; (c) elongation NOT less than 37%; (d) total coating mass NOT less than 90 g/m2; (e) in ANY of the following sizes: (i) thickness 0.75 mm and width 1 535 mm; (ii) thickness 0.80 mm and width 1 640 mm; (iii) thickness 0.90 mm and width 1 530 mm			50
	For the purposes of t specification (e) are	his order, tolerances allowable :	for	
	(a) thickness +/- 10% (b) width +/- 1% Op. 04.06.13	Dec. date 21.10.13	- тс 1318527	