



Australian Government
Department of Industry,
Science and Resources

**National
Measurement
Institute**

36 Bradfield Road, West Lindfield NSW 2070

**Supplementary Certificate of Approval
NMI S645**

Issued by the Chief Metrologist under Regulation 60
of the
National Measurement Regulations 1999

This is to certify that an approval for use for trade has been granted in respect of the instruments herein described.

RedCat Premium Model PT525 Point of Sale (POS) System

submitted by RedCat Pty Ltd
Level 1/51 Stephenson Street
Cremorne VIC 3121

NOTE: This Certificate relates to the suitability of the pattern of the instrument for use for trade only in respect of its metrological characteristics. This Certificate does not constitute or imply any guarantee of compliance by the manufacturer or any other person with any requirements regarding safety.

This approval has been granted with reference to document NMI M 7, *Pattern Approval Specifications for Point of Sale Systems*, dated June 2012.

This approval is subject to review at the decision of the Chief Metrologist in accordance with the conditions specified in the document NMI P 106.

DOCUMENT HISTORY

Rev	Reason/Details	Date
0	Pattern provisionally approved – interim certificate issued	9/08/13
1	Pattern amended (validity date) – interim certificate issued	16/07/14
2	Pattern amended (validity date) – interim certificate issued	7/11/14
3	Pattern approved – interim certificate issued	16/07/15
4	Pattern & variant 1 approved – certificate issued	28/04/20
5	Variant 2 approved – certificate issued	30/10/23
6	Pattern amended (software name) & Variant 3 approved – certificate issued	27/11/24

CONDITIONS OF APPROVAL

General

Instruments purporting to comply with this approval shall be marked with pattern approval number 'NMI S645' and only by persons authorised by the submittor.

Instruments purporting to comply with this approval and currently marked 'NMI PS645' may be re-marked 'NMI S645' but only by persons authorised by the submittor.

It is the submittor's responsibility to ensure that all instruments marked with this approval number are constructed as described in the documentation lodged with the National Measurement Institute (NMI) and with the relevant Certificate of Approval and Technical Schedule. Failure to comply with this Condition may attract penalties under Section 19B of the National Measurement Act and may result in cancellation or withdrawal of the approval, in accordance with document NMI P 106.

Special

Certain aspects of this instrument (in particular transaction record printing formats) are able to be configured by the user. Whilst NMI believes that acceptable formats can be achieved for typical basic sales modes, it is also possible for the instrument to be configured to produce unacceptable formats, and use of some formats may be inappropriate for different sales modes. It is the responsibility of the user to ensure that acceptable and appropriate formats are used in any particular situation.

Signed by a person authorised by the Chief Metrologist to exercise their powers under Regulation 60 of the *National Measurement Regulations 1999*.



Darryl Hines
Manager
Policy and Regulatory Services

TECHNICAL SCHEDULE No S645

1. Description of Pattern **provisionally approved on 9/08/13**
approved 16/07/15

A RedCat Premium model PT525 system to provide certain additional facilities for transactions when interfaced to compatible (#) NMI-approved measuring instruments granted with reference to document NMI M7.

1.1 Key Features

- The system provides point of sale arrangements for an Avery Weigh-Tronix model FX 120 self-indicating non-automatic weighing instrument (approval NMI 6/4C/295A) or other compatible (#) NMI-approved measuring instruments.
 - The system receives measurement data from the output interface of the approved measuring instrument and computes prices using a product look up (PLU) facility.
 - The system computes total price for multiple items including non-measured items and is approved for use for transactions direct to the public.
 - The system is able to apply a preset tare value up to the maximum capacity of the approved measuring instrument. Preset tare values may be keyboard-entered or stored (e.g. within a PLU facility).
 - The POS controllers may be connected in a network to share common PLU data, for totalisation, and to accumulate and retrieve management information.
- (#) 'Compatible' is defined to mean that no additions/changes to the hardware/software specified in this approval are required for satisfactory operation of the system.

1.2 System Description

The RedCat Premium model PT525 point of sale (POS) system (Figure 1) comprises:

(i) POS Controller

The RedCat Premium model PT525 POS terminal or equivalent (*) PC-based device operates a Microsoft Windows-based operating system running RedCat Smart PointOfSale version 13xx.xx.x software. The software version number is displayed in the bottom right corner of the operator display.

(ii) Electronic Indications

Indications shall satisfy the requirements of document NMI M 7, *Pattern Approval Specifications for Point of Sale Systems*.

The RedCat Premium model PT525 POS controller has an integral touch sensitive display to provide an indication for the operator.

Information additional to that required by document NMI M 7, including totalisation details and product images, may also be indicated.

Note: There is no M 7-compliant customer display fitted to the POS system.

(iii) Printing Devices

Transaction records shall satisfy the requirements of document NMI M 7, *Pattern Approval Specifications for Point of Sale Systems*.

An EPSON TM181 series printer or equivalent (*) is connected to the controller to provide transaction record printing facility. A typical record is shown in Figure 4.

(iv) Additional System Facilities

In addition, the system may include other facilities including point of sale cash drawers, magnetic card and/or barcode reader and electronic funds transfer (EFT), etc. The facilities shall not interact with the system in a way that would cause an incorrect indication of the measured quantity or price.

1.3 Verification Provision

Provision is made for the application of a verification mark.

1.4 Descriptive Markings

The POS controller is marked in a clear and permanent manner, in one location, with the following information:

Submittor's name or mark
Serial number or other unique identifier
Pattern approval number	NMI S645

1.5 Family of Devices

In an alternative arrangement, the POS controller may be an HP model AP5000 or equivalent (*) PC-based device which uses the same software as described in clause 1.2 (i).

- (*) 'Equivalent' is defined to mean other proprietary equipment of the same or better specifications requiring no changes to the software specified in this approval for satisfactory operation of the system.

2. Description of Variant 1

approved on 28/04/20
amended 27/11/24

Similar to the pattern as described in **1.2 System Description** above with the following variations:

(i) POS Controller

The RedCat Premium model BT1900 POS terminal or equivalent (*) PC-based device operates a Microsoft Windows-based operating system running RedCat Smart PointOfSale version 20xx.xx.x software. The software version number is displayed in the bottom right corner of the operator display.

NOTE: RedCat Smart PointOfSale software may also be known as Polygon POS version nova_x.x software

(ii) Electronic Indications

Indications shall satisfy the requirements of document NMI M7, *Pattern Approval Specifications for Point of Sale Systems*.

The RedCat Premium model BT1900 POS controller has an integral touch sensitive display to provide an indication for the operator and another integral display to provide an indication for the customer (Figure 3).

Information additional to that required by document NMI M 7, including totalisation details and product images, may also be indicated.

3. Description of Variant 2 **approved on 30/10/23**

The RedCat Premium model BT1900 POS terminal, as described in **Variant 1**, can be configured with or without an integral display for the customer.

Note: Systems configured without an integral display have no M 7-compliant customer display fitted to the POS system.

4. Description of Variant 3 **approved on 27/11/24**

Similar to the pattern as described in **1.2 System Description and variant 1** above with the following variations:

(i) POS Controller

The RedCat model RCP156A POS terminal or equivalent (*) PC-based device operates a Microsoft Windows-based operating system running Polygon POS version nova_x.x software. The software version number is displayed in the bottom right corner of the operator display.

(ii) Electronic Indications

Indications shall satisfy the requirements of document NMI M7, *Pattern Approval Specifications for Point of Sale Systems*.

The RedCat model RCP156A POS controller has an integral touch sensitive display to provide an indication for the operator and optional integral display for the customer (Figure 5 and 6).

Information additional to that required by document NMI M 7, including totalisation details and product images, may also be indicated.

TEST PROCEDURE No S645

The POS system shall be tested in addition to any tests specified in the approval documentation for the measuring instrument/s to which the POS system is connected, as appropriate

The POS system shall be tested in the normal operational mode of the instrument and device, not in 'training mode' or any other management mode.

Maximum Permissible Error

The maximum permissible error for price computation is ± 0.5 cent.

TESTS


1. Check the software version number/s.
2. Check that the POS system faithfully reproduces the measurement data in the same units and scale interval as the connected approved measuring instrument, e.g. test by using a PLU without a stored tare.
3. Check that the system performs correct price computation, and computes and indicates a correct unrounded subtotal. For cash payment methods, check that any rounding calculation is correct.
4. Perform a measurement with a preset tare applied and confirm that the POS system correctly calculates and indicates a net measurement result.
5. For network systems check to ensure that the measurement data printed on the transaction record is correctly reproduced.
6. Ensure that electronic indications and printed information are in accordance with document NMI M 7.

FIGURE S645 – 1



RedCat Premium model PT525 point of sale (POS) system

FIGURE S645 – 2



Typical Operators Display

FIGURE S645 – 3

Qty	Item	Ext.
0.030 kg NET 1	Weighted Item @ \$5.00/kg Small Cup	\$0.15
0.005 kg NET 1	Weighted Item @ \$5.00/kg Large Cup	\$0.03
	Sale Total:	\$0.20

Typical Customer Display (Variant 1)


FIGURE S645 – 4

```
----- address line -----  
Tel: 22 2222 2222  
**** TAX Invoice ***  
ABN : 22 222 222 222  
  
Order#: 2  
  
OTC $  
Weighted Item 0.15  
0.030 kg NET @ $5.00/kg  
Weighted Item 0.03  
0.005 kg NET @ $5.00/kg  
-----  
Subtotal: $0.11  
Rounding: 0.02  
-----  
Total: $0.20  
  
Cash 100.00  
Change: $99.80  
  
Total includes GST of: $0.07  
* Indicates GST free items  
  
17/04/20 1:50PM Redcat  
receipt no. 39000002  
Thank You and come again.
```






A Typical Receipt

FIGURE S645 – 5



Typical Operators Display in dark and light mode (Variant 3)

FIGURE S645 – 6

Confirm Your Order		
	0.126 kg - Jelly's YoYo @ \$9.99/kg	\$1.26
		
	Total	\$1.26
	Balance	\$1.26

Typical Customer Display (Variant 3)

~ End of Document ~