



Australian Government  
Department of Industry,  
Science and Resources

**National  
Measurement  
Institute**

## **Appointment as a Verifying Authority for Reference Standards of Measurement**

In accordance with Regulation 73 of *National Measurement Regulations 1999* (Cth), in force under the *National Measurement Act 1960* (Cth), the Chief Metrologist hereby appoints

**PLUS ES partnership carried on under that name comprising:**

- (i) **Blue PES Partner Pty Ltd (ACN 622 175 428) as trustee for Blue PES Partner Trust;**
- (ii) **ERIC Alpha AUP Corporation 1 Pty Ltd (ACN 621 524 374) as trustee for ERIC Alpha AUP Trust 1;**
- (iii) **ERIC Alpha AUP Corporation 2 Pty Ltd (ACN 621 524 454) as trustee for ERIC Alpha AUP Trust 2;**
- (iv) **ERIC Alpha AUP Corporation 3 Pty Ltd (ACN 621 524 525) as trustee for ERIC Alpha AUP Trust 3; and**
- (v) **ERIC Alpha AUP Corporation 4 Pty Ltd (ACN 621 524 605) as trustee for ERIC Alpha AUP Trust 4.**

Operating at:

**PLUS ES  
48-50 Holker Street  
Silverwater NSW 2128**

to be a Verifying Authority for the verification of reference standards of measurement under regulation 13 of the *National Measurement Regulations 1999* (Cth) for the following physical quantities:

### **Time, Frequency, Energy, Power**

This appointment is for the period from 24 February 2024 to 23 February 2027 and is limited to the range specified in the attached schedule, and the use of procedures approved by the Chief Metrologist.

Dated this      Twenty First      day of      February      2024

*Signed*

James Cantrill  
For Dr Richard Bruce Warrington  
Chief Metrologist  
National Measurement Institute

Certificate: NMI2024-001-PLUSES-VARSM      Form No. NMI/VARSM/2024      Page 1 of 4

## Schedule to Appointment as a Verifying Authority for Reference Standards of Measurement

PLUS ES partnership carried on under that name comprising:

- (i) Blue PES Partner Pty Ltd (ACN 622 175 428) as trustee for Blue PES Partner Trust;
- (ii) ERIC Alpha AUP Corporation 1 Pty Ltd (ACN 621 524 374) as trustee for ERIC Alpha AUP Trust 1;
- (iii) ERIC Alpha AUP Corporation 2 Pty Ltd (ACN 621 524 454) as trustee for ERIC Alpha AUP Trust 2;
- (iv) ERIC Alpha AUP Corporation 3 Pty Ltd (ACN 621 524 525) as trustee for ERIC Alpha AUP Trust 3; and
- (v) ERIC Alpha AUP Corporation 4 Pty Ltd (ACN 621 524 605) as trustee for ERIC Alpha AUP Trust 4.

Operating at:  
**PLUS ES**  
**48-50 Holker Street**  
**Silverwater NSW 2128**

Physical Quantity	Range of Standard	Least Uncertainty
Time	4 ns to 1 in $10^3$ s	1 in $10^{10}$ + 500 ps
Frequency	0.01 Hz to 1.1 GHz	1 in $10^{10}$ + 1 count
Energy	63.5 V to 415 V at 50 Hz	
	<ul style="list-style-type: none"><li>• Watthour meters</li></ul>	250 $\mu$ Wh/VAh 100 $\mu$ Wh/VAh
	<ul style="list-style-type: none"><li>• Varhour meters</li></ul>	320 $\mu$ Wh/VAh
Power		
AC (at 50 Hz)	From 63.5 V to 415 V and 0.01 A to 100 A	200 $\mu$ W/VA

James Cantrill  
For Dr Richard Bruce Warrington  
Chief Metrologist  
National Measurement Institute

Certificate: NMI2024-001-PLUSES-VARSM Form No. NMI/VARSM/2024 Page 2 of 4

## Signatories

The following persons are the permitted signatories under this appointment:

<b>Name</b>	<b>Physical Quantity</b>	<b>Range</b>
Scott Murray	Time, Frequency, Energy, Power	as per the scope of this schedule
Aaron Parker	Time, Frequency, Energy, Power	as per the scope of this schedule

## Statutory Conditions

This appointment as a verifying authority for reference standards of measurement under regulation 73 of the *National Measurement Regulations 1999* (Cth) is subject to the conditions stated in regulation 77 of the *National Measurement Regulations 1999* (Cth) as amended. At the time of appointment regulation 77 contains the following conditions

- (a) That the authority participate in training, related to the performance of the duties of an authority, required by the Chief Metrologist;
- (b) That the authority report, as required by the Chief Metrologist, about its performance of its duties;
- (c) That the authority, and any responsible agent or employee of the authority, comply with the *National Measurement Act 1960* (Cth) and the *National Measurement Regulations 1999* (Cth) and any condition stated in the instrument of appointment.
- (d) That the authority comply with any determinations applying to the authority under regulation 20 of the *National Measurement Regulations 1999* (Cth).

## Additional Conditions

In addition to the statutory conditions of appointment of authorities contained in regulation 77 of the *National Measurement Regulations 1999* (Cth) this appointment is also subject to the following conditions:

- (i) Continuing accreditation against AS ISO/IEC 17025 *General requirements for the competence of testing and calibration laboratories* in the form of NATA accreditation No. 62

James Cantrill  
For Dr Richard Bruce Warrington  
Chief Metrologist  
National Measurement Institute

- (ii) The authority shall not engage a responsible agent or arrange for any standard of measurement to be verified by an agent or anyone under its supervision without obtaining the prior consent of the Chief Metrologist in writing;
- (iii) Discharge of all financial obligations to the Chief Metrologist and/or the National Measurement Institute in respect of this appointment;
- (iv) Compliance with the formatting and/or any other requirements of the Chief Metrologist and/or the National Measurement Institute with respect to certificates of verification of reference standards of measurement;
- (v) During the term of this appointment each signatory under this appointment must attend a legal metrology seminar conducted by the Policy and Regulatory Services Section of the Legal Metrology Branch of the National Measurement Institute;
- (vi) This appointment revokes and replaces any previous appointments and/or any extensions granted to any previous appointments.

**Notes:** Nil

James Cantrill  
For Dr Richard Bruce Warrington  
Chief Metrologist  
National Measurement Institute

Certificate: NMI2024-001-PLUSES-VARSM      Form No. NMI/VARSM/2024      Page 4 of 4